



ASCII Chart [X]

Decimal	Hex	Character
0	00	NULL - Null
1	01	SOH - Start of Header
2	02	STX - Start of Text
3	03	ETX - End of Text
4	04	EOT - End of Transmissi
5	05	ENQ - Enquiry
6	06	ACK - Acknowledge
7	07	BEL - Bell
8	08	BS - Backspace
9	09	HT - Horizontal Tab
10	0A	LF - Line Feed
11	0B	VT - Vertical Tab
12	0C	FF - Form Feed
13	0D	CR - Carriage Return
14	0E	SO - Shift Out
15	0F	SI - Shift In
16	10	DLE - Data Link Escape
17	11	DC1 - Data Control 1

OK

Project Settings [X]

Pre-Build | Post-Build | Visual Plugins

General | Debugger | Environment | **Compiler** | Linker | Output

Compiler:

Source Extension:

Assembler:

Asm Source Extension: Object File Extension:

OK Cancel Apply Help

Options [X]

Editor | Terminal | Loader

Communication

Com Port: []

Baud Rate: [19200]

Parity: None Odd Even

Data Bits: 7 8

Stop Bits: 1 2

Echo: Off On

Logging

Log to file

Log file name: [] [Browse]

Font Selection

Fonts []

Sample: AaBbCcXxYyZz

OK Cancel Apply Help